


# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

# **Notice to Contractors**

Letting Date For May - May 27, 2015



### MISSISSIPPI DEPARTMENT OF TRANSPORTATION

### **NOTICE TO CONTRACTORS**

### **LETTING DATE FOR MAY - Wednesday, May 27, 2015**

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

### PROPOSAL AND PLAN SALES WILL BEGIN ON MAY 4, 2015

Proposals must be purchased online at: https://shopmdot.ms.gov For Information Please Contact: Contract Administration Division Jackson, MS

Telephone: (601) 359-7700

Plans must be purchased online at: https://shopmdot.ms.gov For Information Please Contact: MDOT Plans Print Shop Jackson, MS Telephone: (601) 359-7460

Telephone: (601) 359-7460 e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Y ^å} esday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

#### LIST OF CONTRACTS FOR MAY

	CALL	CONTRACT	COUNTY
	01	MEP-5000-25(080) / 502884301 & MEP-5000-25(088) / 502884302	HINDS
*	02	BR-0002-08(018) / 106788301	ALCORN
	03	BR-0009-03(052)/106913301	WASHINGTON
*	04	HSIP-0009-03(053)/106962301	WASHINGTON
*	05	BR-0008-01(134) / 106791303 & BR-0224-00(047) / 106791301	FORREST, PERRY
	06	BR-2902-00(010)/102534301	CLARKE
	07	HSIP-2920-00(008)/104911301	DESOTO
	08	BR-9999-06(021)/106918304	JACKSON
	09	MP-1004-59(010)/305380301	PRENTISS
	10	MP-1008-48(004)/305378301	MONROE
	11	MP-1371-59(003)/305379301	PRENTISS
*	12	MP-2082-00(076)/305457301 & MP-2082-00(076)/305457302	CARROLL, MONTGOMERY
*	13	MP-3000-00(100)/305522301 & MP-3000-00(100)/305522302	CLAIBORNE, JEFFERSON
*	14	MP-5501-62(007)/305444301	SCOTT

<sup>\*</sup> No plans except Standard Drawings

\* 15 MP-6026-55(014)/305493301 PEARL RIVER \* 16 MP-6042-21(009)/305494301 GREENE 17 MP-7084-16(006)/305451301 COVINGTON

#### CALL No. 01

Remove and Replace the Roof Systems at the MDOT Materials Lab and Administration Building in Jackson, known as State Project Nos. MEP-5000-25(080) & MEP-5000-25(088) / 502884301 & 302 in Hinds County.

PROJECT COMPLETION: FEBRUARY 29, 2016

# Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change Roadway Items

1 Lump Sum 1570-A001 Remove and Replace Roof System at MDOT Materials Lab

1 Lump Sum 1570-A001 Remove and Replace Roof System at MDOT Administration Building

#### CALL No. 02

Maintenance Painting of Bridge No. #274.3 on US 45 near Kossuth, known as Federal Aid Project No. BR-0002-08(018) / 106788301 in Alcorn County.

#### PROJECT COMPLETION: SEPTEMBER 03, 2015

1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
1	Lump Sum	907-845-A002	Coating Existing Structural Steel (Bridge ID No. 10106) Kossuth Road

Bridge Maintenance on US 61 at US 82 Bridge Nos. 196.7A & 196.7B, known as Federal Aid Project No. BR-0009-03(052) / 106913301 in Washington County.

#### PROJECT COMPLETION: APRIL 29, 2016

500	Linear Feet	234-A001	Temporary Silt Fence
64	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
448	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
300	Linear Feet	619-F1001	Concrete Median Barrier, Precast
300	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
64	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Each	619-G7001	Warning Lights, Type "B"
80	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
500	Linear Feet	907-234-C002	Super Silt Fence
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
			ALTERNATE GROUP AA NUMBER 1
3,000	Linear Feet	907-626-1003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
1,500	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,500	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
			ALTERNATE GROUP AA NUMBER 2
3,000	Linear Feet	628-1002	6" High Performance Cold Plastic Traffic Stripe, Skip White
1,500	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,500	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
			Bridge Items
408	Linear Feet	202-B298	Removal of Existing Joint Material
408	Linear Feet	808-A001	Joint Preparation
3,082	Square Yard	907-202-B004	Removal of Bridge Deck, Hydrodemolition
211	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
204	Linear Feet	907-823-A002	Preformed Joint Seal, Type II

400 Linear Feet 907-823-B002 Saw Cut, Type II

1 Lump Sum 907-824-PP093 Bridge Repair, Temporary Shoring

Shoulder Widening approximately 22 miles on US 61 from the Washington County Line to US 82, known as Federal Aid Project No. HSIP-0009-03(053) / 106962301 in Washington County.

#### PROJECT COMPLETION: 71 Working Days

			-
9,000	Square Yard	202-B078	Removal of Pavement, All Types and Depths
22	Mile	202-B149	Removal of Traffic Stripe
15,000	Cubic Yard	203-G003	Excess Excavation, FM, AH
3,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
43	Mile	423-A001	Rumble Strips, Ground In
350	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
5,000	Ton	907-304-B002	Granular Material, Class 5, Group D
5,000	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
25,000	Ton	907-403-C009	19-mm, ST, Asphalt Pavement, Trench Widening
44	Mile	907-403-S004	Joint Sealant
3,000	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
43	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
22	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
8,319	Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
7,700	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
5,400	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
2,700	Linear Feet	907-626-H004	Thermoplastic Legend, White
			ALTERNATE GROUP AA NUMBER 1
500	Ton	907-304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 2
500	Ton	907-304-F003	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 3
500	Ton	907-304-F004	Size 825B Crushed Stone Base

#### CALL No. 05

Maintenance Painting of Bridge No. 35.0 on SR 29 at Leaf River and Bridge No. 49.3A on US 49 at Black Creek, known as Federal Aid Project Nos. BR-0224-00(047) and BR-0008-01(134) / 106791301 & 303 in Perry & Forrest Counties.

PROJECT COMPLETION: SEPTEMBER 28, 2015

1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Square Feet	907-618-B001	Additional Construction Signs
1	Lump Sum	907-845-A002	Coating Existing Structural Steel (Bridge ID No. 13915) Leaf River
1	Lump Sum	907-845-A002	Coating Existing Structural Steel (Bridge ID. No.49.3A) Black Creek

Bridge Replacement on US 11 North of Chunky River Bridge No. 146.8, known as Federal Aid Project No. BR-2902-00(010) / 102534301 in Clarke County.

#### PROJECT COMPLETION: 140 Working Days

			Roadway items
1	Lump Sum	201-A001	Clearing and Grubbing
4,320	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1	Each	202-B009	Removal of Bridge
425	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
50,323	Cubic Yard	203-EX038	Borrow Excavation, AH, FME, Class B7-6
28,045	Cubic Yard	203-G003	Excess Excavation, FM, AH
8	Cubic Yard	206-A001	Structure Excavation
10,520	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
4	Ton	213-C001	Superphosphate
500	Square Yard	217-A001	Ditch Liner
3	Thousand Gallon	219-A001	Watering
4	Acre	220-A001	Insect Pest Control
12	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1	Acre	223-A001	Mowing
500	Square Yard	224-A001	Soil Reinforcing Mat
3,000	Linear Feet	234-A001	Temporary Silt Fence
52	Bale	235-A001	Temporary Erosion Checks
2,713	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
2	Mile	423-A001	Rumble Strips, Ground In
94	Linear Feet	501-E001	Expansion Joints, Without Dowels
72	Each	501-G001	Dowels, Drilled and Installed
204	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
550	Linear Feet	503-C007	Saw Cut, Full Depth
32	Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
2	Each	603-CB002	24" Reinforced Concrete End Section

400	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E001	Guard Rail, Terminal End Section
40	Linear Feet	615-A015	Concrete Bridge End Barrier, 32"
1	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
1	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
41	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
54	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
304	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
96	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
36	Each	619-G5001	Free Standing Plastic Drums
8	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
41	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
12	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
18	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
66	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
22	Each	630-F001	Delineators, Guard Rail, White
4	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
132	Square Yard	907-216-A001	Solid Sodding
7	Acre	907-225-A001	Grassing
4	Ton	907-225-B001	Agricultural Limestone
14	Ton	907-225-C001	Mulch, Vegetative Mulch
7	Acre	907-226-A001	Temporary Grassing
600	Linear Feet	907-234-C002	Super Silt Fence
100	Linear Feet	907-234-F001	Turbidity Barrier
312	Linear Feet	907-237-A003	Wattles, 20"
312	Linear Feet	907-245-A001	Triangular Silt Dike
312	Each	907-246-A002	Sandbags

130	Ton	907-249-A001	Riprap for Erosion Control
622	Ton 907-403-A017		9.5-mm, ST, Asphalt Pavement
696	Ton	907-403-A018	12.5-mm, ST, Asphalt Pavement
1,065	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
23	Ton	907-403-C009	19-mm, ST, Asphalt Pavement, Trench Widening
677	Gallon	907-407-A001	Asphalt for Tack Coat
56	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
140	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
6	Each	907-617-A001	Right-of-Way Marker
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1	Lump Sum	907-699-A002	Roadway Construction Stakes
			ALTERNATE GROUP AA NUMBER 1
4,284	Ton	907-304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 2
4,284	Ton	907-304-F003	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 3
4,284	Ton	907-304-F004	Size 825B Crushed Stone Base
			Bridge Items
1,600	Square Yard	501-K001	Transverse Grooving
2	Each	803-B002	Conventional Static Pile Load Test
3,440	Linear Feet	803-D002	HP 12 x 53 Steel Piling
3	Each	803-1001	PDA Test Pile
2	Each	803-J001	Pile Restrike
125,325	Pounds	805-A001	Reinforcement
723	Linear Feet	813-A002	Concrete Railing, 32"
744	Ton	815-A009	Loose Riprap, Size 300
1,103	Square Yard	815-E001	Geotextile under Riprap

692 Cubic Yard 907-804-A001 Bridge Concrete, Class AA

2,147 Linear Feet 907-804-C016 40' Prestressed Concrete Beam, Type I+2

Intersection Improvements on US 51 at Star Landing Road and License Drive, known as Federal Aid Project No. HSIP-2920-00(008) / 104911301 in Desoto County.

#### PROJECT COMPLETION: APRIL 05, 2016

			<b>,</b>
1	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
1,167	Square Yard	202-B002	Removal of Asphalt Driveways, All Depths
384	Square Yard	202-B018	Removal of Concrete Driveways, All Depths
2	Each	202-B019	Removal of Concrete Headwall
39	Square Yard	202-B025	Removal of Concrete Paved Ditch
2	Each	202-B042	Removal of Flared End Section, All Sizes
1	Each	202-B057	Removal of Inlets, All Sizes
457	Linear Feet	202-B064	Removal of Pipe, 8" And Above
250	Linear Feet	202-B076	Removal of Traffic Stripe
4,890	Square Yard	202-B078	Removal of Pavement, All Types and Depths
212	Linear Feet	202-B093	Removal of Curb & Gutter, All Types
14	Each	202-B107	Removal of Sign, Ground Mounted with Posts
3	Each	202-B113	Removal of Box Culvert Wingwall, All Sizes
33,770	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
11,298	Cubic Yard	203-G003	Excess Excavation, FM, AH
384	Cubic Yard	206-A001	Structure Excavation
150	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
25,198	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
100	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
5	Ton	213-C001	Superphosphate
300	Square Yard	217-A001	Ditch Liner
1	Thousand Gallon	219-A001	Watering
9	Acre	220-A001	Insect Pest Control
12	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch

15,960	Linear Feet	234-A001	Temporary Silt Fence
4	Each	236-A004	Silt Basin, Type D
1,616	Linear Feet	503-C007	Saw Cut, Full Depth
534	Pounds	602-A001	Reinforcing Steel
48	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
304	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
144	Linear Feet	603-CA008	54" Reinforced Concrete Pipe, Class III
2	Each	603-CB001	18" Reinforced Concrete End Section
4	Each	603-CB002	24" Reinforced Concrete End Section
2	Each	603-CB007	54" Reinforced Concrete End Section
32	Linear Feet	603-CE003	36" x 23" Concrete Arch Pipe, Class A III
2	Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
108	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
734	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
1,032	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
180	Square Yard	614-B002	Concrete Driveway, With Reinforcement, 6-inch Thickness
148	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
30	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
16,479	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
11,236	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
420	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
20,978	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
1,652	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
874	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
90	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
538	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
5	Each	619-D3001	Remove and Reset Signs, All Sizes
144	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
100	Each	619-G5001	Free Standing Plastic Drums

1	Lump Sum	620-A001	Mobilization
1,959	Linear Feet	625-C001	Traffic Stripe, Continuous White
89	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
651	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
70	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
177	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
18	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
285	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
114	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
31	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
31	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
920	Linear Feet	635-A001	Vehicle Loop Assemblies
1,749	Linear Feet	636-A001	Shielded Cable, AWG #18, 4 Conductor
2	Each	638-A002	Loop Detector Amplifier, 4 Channel
8	Each	640-A016	Traffic Signal Heads, Type 1 LED
4	Each	640-A056	Traffic Signal Heads, Type 2 FYA LED
3	Each	647-A001	Pullbox, Type 1
1	Each	647-A002	Pullbox, Type 3
4	Each	647-A005	Pullbox, Type 2
97	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2 Conductor
504	Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
454	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
277	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
222	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
377	Ton	815-A009	Loose Riprap, Size 300
544	Square Yard	815-E001	Geotextile under Riprap
64	Square Yard	907-216-A001	Solid Sodding
9	Acre	907-225-A001	Grassing
5	Ton 9	907-225-B001	Agricultural Limestone

18	Ton	907-225-C001	Mulch, Vegetative Mulch
9	Acre	907-226-A001	Temporary Grassing
1	Each	907-234-D001	Inlet Siltation Guard
860	Linear Feet	907-237-A003	Wattles, 20"
516	Linear Feet	907-246-A001	Sandbags
300	Ton	907-249-A001	Riprap for Erosion Control
4,958	Ton	907-304-B009	Granular Material, Class 3, Group D
500	Ton	907-304-D001	Granular Material, Crushed Stone
5,178	Ton	907-403-A029	19-mm, HT, Asphalt Pavement
146	Ton	907-403-C013	19-mm, HT, Asphalt Pavement, Trench Widening
2,947	Ton	907-403-D010	9.5-mm, HT, Asphalt Pavement, Polymer Modified
2,042	Ton	907-403-D011	12.5-mm, HT, Asphalt Pavement, Polymer Modified
5,700	Gallon	907-407-A001	Asphalt for Tack Coat
20	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
648	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
40	Linear Feet	907-603-ALT05	42" Type A Alternate Pipe
45	Each	907-617-A001	Right-of-Way Marker
1	Lump Sum	907-618-A001	Maintenance of Traffic
3	Each	907-619-E3001	Changeable Message Sign
16,796	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
8,685	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,408	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
18,990	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
720	Linear Feet	907-626-H004	Thermoplastic Legend, White
615	Square Feet	907-626-H005	Thermoplastic Legend, White
43	Cubic Yard	907-631-B001	Flowable Fill, Non-Excavatable
4	Each	907-639-A063	Traffic Signal Equipment Pole, Type 1, 30' Shaft
13	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
1	Each	907-642-A003	Solid State Traffic Actuated Controllers, Type 8A
1	Lump Sum	907-699-A002	Roadway Construction Stakes

172	Ton	907-815-F001	Sediment Control Stone
			ALTERNATE GROUP AA NUMBER 1
8,310	Ton	907-304-F003	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 2
8,310	Ton	907-304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 3
8,310	Ton	907-304-F004	Size 825B Crushed Stone Base

#### CALL No. 08

Bridge Joint Replacement on SR 63 over Escatawpa River, known as Federal Aid Project No. BR-9999-06(021) / 106918304 in Jackson County.

#### PROJECT COMPLETION: AUGUST 14, 2015

1	Lump Sum	202-B169	Removal of Debris
1,467	Linear Feet	202-B298	Removal of Existing Joint Material
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
52	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
3,160	Linear Feet	808-A001	Joint Preparation
96	Gallon	808-B002	Epoxy Mortar Mix
1	Lump Sum	907-618-A001	Maintenance of Traffic
164	Linear Feet	907-822-B002	3" Reinforced Elastomeric Molded Rubber Expansion Joint
246	Linear Feet	907-822-B003	4 3/4" Reinforced Elastomeric Molded Rubber Expansion Joint
1,242	Linear Feet	907-823-A002	Preformed Joint Seal, Type II

Overlay SR 4 from SR 145 to MLK Drive, known as State Project No. MP-1004-59(010) / 305380301 in Prentiss County.

#### PROJECT COMPLETION: Flexible

# Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change Roadway Items

1,000	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
2,925	Linear Feet	202-B076	Removal of Traffic Stripe
650	Cubic Yard	203-G003	Excess Excavation, FM, AH
6,200	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
8	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
42,325	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,200	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,525	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
175	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
425	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,300	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
5,000	Ton	907-403-B016	9.5-mm, MT, Asphalt Pavement, Leveling
4,000	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
8	Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
24,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
18,500	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,200	Linear Feet	907-626-H004	Thermoplastic Legend, White
202	Square Feet	907-626-H005	Thermoplastic Legend, White

#### **ALTERNATE GROUP AA NUMBER 1**

800	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
			ALTERNATE GROUP AA NUMBER 2
800	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
			ALTERNATE GROUP AA NUMBER 3
800	Cubic Yard	907-304-H004	Size 825B Crushed Stone Base, LVM
			ALTERNATE GROUP BB NUMBER 1
1,495	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
545	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
545	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
105	Linear Feet	907-626-M001	Inverted Profile Thermoplastic Detail Traffic Stripe, White
45	Linear Feet	907-626-M002	Inverted Profile Thermoplastic Detail Traffic Stripe, Yellow
			ALTERNATE GROUP BB NUMBER 2
1,495	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
545	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
545	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
105	Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White
45	Linear Feet	628-O002	High Performance Cold Plastic Detail Stripe, Yellow

Level and Seal SR 8 From US 45A to End of State Maintenance, known as State Project No. MP-1008-48(004) / 305378301 in Monroe County.

#### PROJECT COMPLETION: Flexible

			-
859	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
58	Square Yard	202-B010	Removal of Bridge End Pavement
1,761	Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
1,950	Cubic Yard	203-G003	Excess Excavation, FM, AH
4,200	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
20,520	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1	Mile	423-A001	Rumble Strips, Ground In
1,468	Linear Feet	503-C007	Saw Cut, Full Depth
2	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
1	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
35,200	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
296	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
132	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
128	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
10	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
790	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
600	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
1,650	Cubic Yard	907-304-E004	Granular Material, LVM, Size 57
3,000	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
86,820	Square Yard	907-405-D001	Scrub Seal
1,400	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
1	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow

6,184	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White	
11,416	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow	
148	Linear Feet	907-626-H004	Thermoplastic Legend, White	
66	Square Feet	907-626-H005	Thermoplastic Legend, White	
13	Mile	907-626-V004	6" Thermoplastic Traffic Stripe, Continuous White, 40-mil min.	
6	Mile	907-626-W004	6" Thermoplastic Traffic Stripe, Skip Yellow, 40-mil min.	
3	Mile	907-626-X004	6" Thermoplastic Traffic Stripe, Continuous Yellow, 40-mil min.	
712	Linear Feet	907-626-Y002	Thermoplastic Detail Traffic Stripe, White, 6" Equivalent Length, 40-mil. min.	
372	Linear Feet	907-626-Y004	Thermoplastic Detail Traffic Stripe, Yellow, 6" Equivalent Length, 40-mil. min.	
896	Linear Feet	907-626-Z003	Thermoplastic Legend, White, 6" Equivalent Length, 40-mil. min.	
126	Square Feet	907-626-Z004	Thermoplastic Legend, White, 6" Equivalent Length, 40-mil. min.	
16	Cubic Yard	907-631-A001	Flowable Fill, Excavatable	
			ALTERNATE GROUP AA NUMBER 1	
950	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM	
			ALTERNATE GROUP AA NUMBER 2	
950	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM	
			ALTERNATE GROUP AA NUMBER 3	
950	Cubic Yard	907-304-H004	Size 825B Crushed Stone Base, LVM	

Overlay approximately 6 miles of SR 371 from Marietta City Limits to SR 4, known as State Project No. MP-1371-59(003) / 305379301 in Prentiss County.

#### PROJECT COMPLETION: Flexible

			<b>,</b>
325	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
650	Linear Feet	202-B076	Removal of Traffic Stripe
325	Cubic Yard	203-G003	Excess Excavation, FM, AH
2,100	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
18	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
8	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
415	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
375	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
290	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
550	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,000	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
5,100	Ton	907-411-A003	Ultra Thin Asphalt Pavement
6,500	Gallon	907-411-B001	Bituminous Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
12	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
5	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
350	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
70	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
380	Linear Feet	907-626-H004	Thermoplastic Legend, White
			ALTERNATE GROUP AA NUMBER 1
75	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
			ALTERNATE GROUP AA NUMBER 2

75	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
			ALTERNATE GROUP AA NUMBER 3
75	Cubic Yard	907-304-H004	Size 825B Crushed Stone Base, LVM
			ALTERNATE GROUP BB NUMBER 1
320	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
165	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
165	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
			ALTERNATE GROUP BB NUMBER 2
320	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
165	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
165	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

Mill & Overlay approximately 20 miles of US 82 from Leflore County Line to Montgomery County Line and from Carroll County Line to End of Concrete East of I-55, known as State Project Nos. MP-2082-00(076) / 305457301 & 302 in Carroll & Montgomery Counties.

### PROJECT COMPLETION: 70 Working Days

150	Linear Feet	202-B076	Removal of Traffic Stripe
368,650	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
39	Mile	423-A001	Rumble Strips, Ground In
20	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
20	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
20	Mile	619-A3006	Temporary Traffic Stripe, Skip White
2,475	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
2,475	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
260	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4,200	Ton	907-304-B009	Granular Material, Class 3, Group D
34,400	Ton	907-403-D010	9.5-mm, HT, Asphalt Pavement, Polymer Modified
28,450	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Square Feet	907-618-B001	Additional Construction Signs
19	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
17	Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
20	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
32,422	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
31,476	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,468	Linear Feet	907-626-H004	Thermoplastic Legend, White

Level and Seal approximately 72 miles on various routes, known as State Project Nos. MP-3000-00(100) / 305522301 & 302 in Claiborne and Jefferson Counties.

#### PROJECT COMPLETION: 61 Working Days

			Rodaway nems
1,500	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
15	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
115	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
36	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
20,000	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
4,100	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
8,000	Each	627-H001	Chip Seal Reflective Raised Markers. Two-Way Yellow
750	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
110	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,400	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
9,750	Ton	907-304-B002	Granular Material, Class 5, Group D
197,779	Gallon	907-410-A001	Asphalt for Surface Treatment, Grade CRS-2P
7,846	Cubic Yard	907-410-C002	Seal Aggregate Cover Material, Size 7, Limestone
22,000	Ton	907-411-A003	Ultra Thin Asphalt Pavement
24,540	Gallon	907-411-B001	Bituminous Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Square Feet	907-618-B001	Additional Construction Signs
1	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
22	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
12	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
19,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
19,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4,250	Linear Feet	907-626-H004	Thermoplastic Legend, White



Mill and Overlay approximately 8 miles of SR 501 from the Smith County Line to south end of the I-20 Bridge, known as State Project No. MP-5501-62(007) / 305444301 in Scott County.

### PROJECT COMPLETION: 67 Working Days

			Roadway items
5,422	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
2,712	Cubic Yard	203-G004	Excess Excavation, LVM, AH
50	Cubic Yard	305-B001	Size I Stabilizer Aggregate, Coarse
113,675	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
32	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
30	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
1,645	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
576	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
208	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
280	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
721	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4,735	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
11,468	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
14,947	Ton	907-403-B017	12.5-mm, MT, Asphalt Pavement, Leveling
13,749	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
16	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
15	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,325	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
320	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
1,156	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White

Overlay approximately 3 miles of SR 26 from SR 53 West, known as State Project No. MP-6026-55(014) / 305493301 in Pearl River County.

#### PROJECT COMPLETION: Flexible

23,500	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
5	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
5	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
3,800	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
200	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
50	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
750	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
972	Linear Feet	635-A001	Vehicle Loop Assemblies
1,600	Ton	907-304-F004	Size 825B Crushed Stone Base
4,200	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
1,500	Ton	907-403-B016	9.5-mm, MT, Asphalt Pavement, Leveling
3,300	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
4	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
8,025	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,450	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,300	Linear Feet	907-626-H004	Thermoplastic Legend, White
771	Square Feet	907-626-H005	Thermoplastic Legend, White
			Bridge Items
770	Linear Feet	808-A001	Joint Preparation
384	Linear Feet	907-823-A001	Preformed Joint Seal, Type I

Overlay approximately 6 miles of SR 42 from SR 63 East, known as State Project No. MP-6042-21(009) / 305494301 in Greene County.

#### PROJECT COMPLETION: Flexible

1,150	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,076	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
380	Linear Feet	202-B076	Removal of Traffic Stripe
3,340	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
676	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
4	Each	606-D015	Guard Rail, Bridge End Section
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
4	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
11	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
5	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
1,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
150	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
170	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
475	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
38	Each	630-F001	Delineators, Guard Rail, White
4	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
4	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
1,200	Ton	907-304-F002	Size 610 Crushed Stone Base
405	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
6,500	Ton	907-411-A003	Ultra Thin Asphalt Pavement
16,750	Gallon	907-411-B001	Bituminous Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
11	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White

5	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,850	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
380	Linear Feet	907-626-H004	Thermoplastic Legend, White
			Bridge Items
220	Linear Feet	808-A001	Bridge Items  Joint Preparation
	Linear Feet Linear Feet		•

Overlay approximately 10 miles of US 84 from SR 588 East to Jones County Line (Westbound Lane Only), known as State Project No. MP-7084-16(006) / 305451301 in Covington County.

### PROJECT COMPLETION: 65 Working Days

935	Linear Feet	202-B076	Removal of Traffic Stripe
186	Cubic Yard	203-G003	Excess Excavation, FM, AH
9,774	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
11	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
11	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
11	Mile	619-A3006	Temporary Traffic Stripe, Skip White
36,900	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
6,260	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
720	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,000	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
263	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
6,604	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
3,465	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
932	Ton	907-403-B020	9.5-mm, HT, Asphalt Pavement, Leveling
11,220	Ton	907-403-D010	9.5-mm, HT, Asphalt Pavement, Polymer Modified
14,721	Gallon	907-407-A001	Asphalt for Tack Coat
1,616	Square Feet	907-412-A002	Pre-Grinding
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
10	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
9	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
9	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
16,320	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
20,580	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
6,260	Linear Feet	907-626-H004	Thermoplastic Legend, White

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at https://shopmdot.ms.gov. Specimen proposals may be viewed and downloaded online at no cost at http://mdot.ms.gov or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at https://shopmdot.ms.gov. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH EXECUTIVE DIRECTOR